## Standard 62 Interpretations Analysis (1/6/2002)

| No. | Requestor | Relevant sections | Subject matter | Most recent approval | Last review | Relevant addenda | Comments/Action needed |
|---|---|---|---|---|---|---|---|
| 01 | Velleca | Table 2 | Ventilation requirements for correctional facilities. | 2/5/00 | 1/6/02 | 62n | |
| 02 | Lane | Table 2, 6.1.3.4 | Averaging time for outdoor air requirements. | 2/5/00 | 1/6/02 | 62n | |
| 03 | Paolini | 6.1.3 | 1000 ppm CO2 guideline | 2/5/00 | 1/6/02 | 62f | Originally approved as interpretation #20 of 62-1989 1/29/95; revised to reflect addendum 62f. |
| 04 | Towell & Liescheidt | 3, 6.1.3, 6.2 | Definition of supply air, 1000 ppm guideline, multiple spaces | 2/5/00 | 1/6/02 | 62f, 62n, 62q | Originally approved as interpretation #23 of 62-1989 6/26/95; revised to reflect addendum 62f. **With publication of 62q, part 1 no longer needed.** |
| 05 | Burroughs | 6.2 | 1000 ppm carbon dioxide guideline in IAQ procedure | 3/14/00 | 1/6/02 | 62i | Originally approved as interpretation #29 of 62-1989 4/26/98; revised to reflect addendum 62f. |
| 06 | Offermann | Table 2 | Assumptions regarding smoking. | 4/5/00 | 1/6/02 | 62n, 62o | |
| 07 | Sellers | Table 2 | Ventilation requirements for indoor pools. | 6/23/00 | 1/6/02 | 62n | |
| 08 | Bohanon | Table 2 | Ventilation requirements for smoking-permitted restaurants. | 6/24/00 | 1/6/02 | 62n, 62o | |
| 09 | Moreau | 6.1.3 | Intermittent ventilation of public restrooms | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #01 of 62-1989 1/29/95; transferred to 62-1999. |
| 10 | Ostrander, comments from Mentzer | 5.6, 5.11, 5.12 | Control of micro-organisms in ventilation systems | 8/14/00 | 1/6/02 | 6F | Originally approved as interpretation #02 of 62-1989 7/24/91; revised as #2a 12/13/93; transferred to 62-1999. |
| 11 | McNall | Table 2.1 | Ventilation requirements for court rooms. | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #03 of 62-1989 4/4/93; transferred to 62-1999. |
| 12 | Sandler | Table 2.1 | Relevant floor area for cfm/ft$^2$ values | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #04 of 62-1989 4/20/93; transferred to 62-1999. |
| 13 | Satink | Table 2 | Ice arenas | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #05 of 62-1989 4/30/93; transferred to 62-1999. |
| 14 | Kremzar | 6.1.3.4 | Intermittent occupancy | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #06 of 62-1989 6/27/93; transferred to 62-1999. |
| 15 | Brumfield & Cowan | 6.1.2, 6.2.1 | Carbon dioxide and filtration | 8/14/00 | 1/6/02 | 62i, 62n | Originally approved as interpretation #07 of 62-1989 6/27/93; transferred to 62-1999. |
| 16 | Senn | 5.1, 5.11 | Natural ventilation and humidity control | 8/14/00 | 1/6/02 | 62j, 62t | Originally approved as interpretation #08 of 62-1989 9/22/93; transferred to 62-1999. **With publication of 62j, part 1 no longer needed.** |
| 17 | Herrmann | 6.1.3 | Design occupant density | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #09 of 62-1989 10/6/93; transferred to 62-1999. |

PM3006450658

Source: https://www.industrydocuments.ucsf.edu/docs/zsxj0001

| No. | Requestor | Relevant sections | Subject matter | Most recent approval | Last review | Relevant addenda | Comments/Action needed |
|---|---|---|---|---|---|---|---|
| 18 | Aldridge | 6.1.3.4 | Intermittent occupancy | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #10 of 62-1989 10/18/93; transferred to 62-1999. |
| 19 | Wall | 5.4 | Thermostatically controlled supply air fans | 8/14/00 | 1/6/02 | 62u | Originally approved as interpretation #11 of 62-1989 12/9/93; transferred to 62-1999. |
| 20 | Herrmann | 6.1.3.4 | Intermittent occupancy | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #12 of 62-1989 12/9/93; transferred to 62-1999. |
| 21 | Stefani | App C | Use of TLV values divided by 10 | 8/14/00 | 1/6/02 | 62ad | Originally approved as interpretation #13 of 62-1989 1/20/94; transferred to 62-1999. |
| 22 | Sherman | Table 2.3 | Compliance with residential ventilation rate requirements | 8/14/00 | 1/6/02 | 62.2 | Originally approved as interpretation #14 of 62-1989 5/1/94; transferred to 62-1999. |
| 23 | Spurlock | 6.1.3.4 | Intermittent occupancy | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #15 of 62-1989 6/3/94; transferred to 62-1999. |
| 24 | Kimball | 6.1.3 | Application of multiple spaces equation | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #16 of 62-1989 6/26/94; transferred to 62-1999. |
| 25 | Miskowicz | 5.4, 6.1.3.4 | Intermittent occupancy and multiple spaces | 8/14/00 | 1/6/02 | 62n, 62t | Originally approved as interpretation #17 of 62-1989 9/11/94; transferred to 62-1999. |
| 26 | Elovitz | Table 2 | Ventilation requirements for corridors | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #18 of 62-1989 1/25/95; transferred to 62-1999. |
| 27 | Bache | 6.1.3.4 | Intermittent occupancy | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #19 of 62-1989 1/25/95; transferred to 62-1999. |
| 28 | Yuill | 6.1.3.1 | Multiple spaces | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #21 of 62-1989 6/26/95; transferred to 62-1999. |
| 29 | Elovitz | Table 2 | Net occupiable area and retail spaces | 8/14/00 | 1/6/02 | 62n, 62q | Originally approved as interpretation #22 of 62-1989 6/26/95; transferred to 62-1999. **With publication of 62q, no longer needed.** |
| 30 | Vick | 6.1.3.3 | Air change effectiveness | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #24 of 62-1989 7/12//95; transferred to 62-1999. |
| 31 | Wade | 6.2 | Indoor air quality procedure | 8/14/00 | 1/6/02 | 62i | Originally approved as interpretation #25 of 62-1989 1/26/97; transferred to 62-1999. |
| 32 | Swinney & Riggs | 6.1.3.4 | Intermittent occupancy | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #26 of 62-1989 1/26/97; transferred to 62-1999. |
| 33 | Schell | 6.1.3 | Demand control ventilation | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #27 of 62-1989 1/26/97; transferred to 62-1999. |
| 34 | Pella | Table 2 | Hotel/motel bedroom ventilation | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #28 of 62-1989 1/26/98; transferred to 62-1999. |
| 35 | Condon | 6.1.3 | Application of IAQ procedure after renovation projects. | 8/14/00 | 1/6/02 | 62h, 62n | Originally approved as interpretation #30 of 62-1989 1/99; transferred to 62-1999. |
| 36 | Fox | Table 2 | Ventilation requirements for transportation applications. | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #31 of 62-1989 4/1/99; transferred to 62-1999. |

PM3006450659

Source: https://www.industrydocuments.ucsf.edu/docs/zsxj0001

| No. | Requestor | Relevant sections | Subject matter | Most recent approval | Last review | Relevant addenda | Comments/Action needed |
|---|---|---|---|---|---|---|---|
| 37 | Hall | Table 2 | Ventilation requirements for Bachelors Enlisted Quarters. | 8/14/00 | 1/6/02 | 62n | Originally approved as interpretation #32 of 62-1989 6/19/99; transferred to 62-1999. |
| 38 | McWilliams | Table 2 | Impact of toilet exhaust requirements on outdoor air requirements | 1/27/01 | 1/6/02 | 62n | |
| 39 | Hassler | 6.1.3, 6.1.3.1 and 6.1.3.4 | Intermittent occupancy and multiple space systems. | 9/5/01 | 1/6/02 | 62n | |

PM3006450660

Source: https://www.industrydocuments.ucsf.edu/docs/zsxj0001